

Freezers

Photo						
Item No.	CF-D100A	CF-D150A	CF-D200A	CF-D108	CF-D158	CF-D178
Product W*D*H (MM)	545X520X830mm	720X520X830mm	825X530X830mm	566*560*850mm	762*560*850mm	805*560*850mm
Climate Type	SN N ST T	SN N ST T	SN N ST T	SN N ST T	SN N ST T	SN N ST T
Rated voltage/frequency	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Refrigerant (CFC-free)	R600a	R600a	R600a	R600a	R600a	R600a
Case Color	white/silver	white/silver	white/silver	white/silver	white/silver	white/silver
Door design	one door	one door	one door	one door	one door	one door
Control system	mechanical	mechanical	mechanical	mechanical	mechanical	mechanical
Compressor fan	×	×	×	×	×	×
Door with Lock&Key	√	√	√	√	√	√
Defrost	√	√	√	√	√	√
Movable Wheel	√	√	√	√	√	√
Basket	1	1	1	1	1	1
Packing W*D*H (MM)	590X550X880mm	765X550X880mm	870X550X880mm	590*570*880mm	790*570*880mm	840*570*880mm
Net/Gross weight Kg	20/23kg	24/27kg	26/29kg	26/29kg	29/32kg	32/36kg
1*40hq quantity	249PCS	191PCS	167PCS	238PCS	178PCS	167PCS
Price FOB Qingdao						

Freezers

Photo					
Item No.	CF-D208	CF-D238	CF-D268	CF-D308	CF-D330
Product W*D*H (MM)	960*560*850mm	1050*560*850mm	1100*600*850mm	1100*640*850mm	1100*675*850mm
Climate Type	SN N ST T	SN N ST T	SN N ST T	SN N ST T	SN N ST T
Rated voltage/frequency	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Refrigerant (CFC-free)	R600a	R600a/R134a	R600a/R134a	R600a	R600a
Case Color	white/silver	white/silver	white/silver	white/silver	white/silver
Door design	one door	one door	one door	one door	one door
Control system	mechanical	mechanical	mechanical	mechanical	mechanical
Compressor fan	×	×	×	√	√
Door with Lock&Key	√	√	√	√	√
Defrost	√	√	√	√	√
Movable Wheel	√	√	√	√	√
Basket	1	1	1	1	1
Packing W*D*H (MM)	1010*570*880mm	1095*570*880mm	1145*615*880mm	1150*685*880mm	1150*730*880mm
Net/Gross weight Kg	33/37kg	34/38kg	36/40kg	43/48kg	51/58kg
1*40hq quantity	138PCS	126PCS	114PCS	102PCS	90PCS
Price FOB Qingdao					

Freezers

Photo					
Item No.	CF-D100	CF-D150	CF-D200	CF-D250	CF-D350
Product W*D*H (MM)	525*555*850	700*555*850mm	870*555*850	1030*555*845mm	1140*720*840mm
Climate Type	SN N ST T	SN N ST T	SN N ST T	SN N ST T	SN N ST T
Rated voltage/frequency	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Refrigerant (CFC-free)	R600a	R600a	R600a	R600a	R290
Case Color	white/silver	white/silver	white/silver	white/silver	white/silver
Door design	one door	one door	one door	one door	one door
Control system	mechanical	mechanical	mechanical	mechanical	mechanical
Compressor fan	×	×	×	×	√
Door with Lock&Key	√	√	√	√	√
Defrost	√	√	√	√	√
Movable Wheel	√	√	√	√	√
Basket	1	1	1	1	1
Packing W*D*H (MM)	567*565*880	742*570*880mm	912*570*880	1072*570*880mm	1182*772*870mm
Net/Gross weight Kg	25/29kg	29/34kg	35/40kg	39/44kg	49/54kg
1*40hq quantity	250PCS	190PCS	155PCS	131PCS	89PCS
Price FOB Qingdao					

Shangqiu XinXin Machinery Equipment Co., Ltd.

Phone/WeChat/WhatsApp: +86 155 1701 6832; E-mail: larry0816@hotmail.com

Freezers

Photo					
Item No.	CF-D400	CF-D500	CF-D600	CF-D800	CF-D1000
Product W*D*H (MM)	1350*720*830mm	1650*720*830mm	1855*740*850mm	1940*830*950mm	2500*830*920mm
Climate Type	SN N ST T	SN N ST T	SN N ST T	SN N ST T	SN N ST T
Rated voltage/frequency	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ
Temperature	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C	≤ -18°C
Refrigerant (CFC-free)	R290	R290	R290	R290	R290
Case Color	white/silver	white/silver	white/silver	white/silver	white/silver
Door design	two door	two door	two door	two door	two door
Control system	mechanical	mechanical	mechanical	mechanical	mechanical
Compressor fan	√	√	√	√	√
Door with Lock&Key	√	√	√	√	√
Defrost	√	√	√	√	√
Movable Wheel	√	√	√	√	√
Basket	1	1	1	1	1
Packing W*D*H (MM)	1395*760*882mm	1695*760*882mm	1930*785*880mm	2020*855*970mm	2580*855*970mm
Net/Gross weight Kg	62/66kg	66/74kg	76/84kg	100/110kg	120/130kg
1*40hq quantity	74PCS	62PCS	45PCS	26PCS	16PCS
Price FOB Qingdao					